# Section 300

# **Wood Liner & Components**

Page Number	Vendor	Product	Sold Regionally	Publish Date
300	Z-Flex	Heavy Flex Liner & Fittings		02/24
301-302	Z-Flex	Flex Stainless Steel Flex Kits		02/24
303-304	Industrial Chimney Company (ICC)	Excel Liner	1	02/24
305-308	Reliance	Masonry Liner Accessories		08/21
309	Durablanket (Unifrax)	Liner Insulation		05/24
310	Reliance	Insert to Liner Adapters		08/21
311	Reliance	Zero-Zero Masonry Liner System		08/21
312	M & G Dura-Vent	6" & 8" DuraLiner		01/24

**PLEASE NOTE:** Not all products are sold throughout all AES territories/regions. If "**Sold Regionally**" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...











For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

400

# Stainless Steel Heavy Flex Liner & Fittings

200



<b>Heavy F</b>	lex Stain	less Steel	Chimney	Liner
----------------	-----------	------------	---------	-------

100

Made of .019 thick 304L stainless steel. 4 ply, continuous metal, fully interlocked, strip-wound construction provides extra strength and durability for demanding installations where the liner may be pulled and stressed more than normal. 25' rolls cannot ship via U.P.S.

·			
Item No.	Description	Retail	Stocked
ZFLAF525	(ZFMHLXX0525) 5" x 25' Roll Stainless Steel Flex Liner	\$1,366.00	N
ZFLAF625	(ZF2ZMHLXX0625) 6" x 25' Roll Stainless Steel Flex Liner	1,344.00	Υ
ZFLAF625OV	(ZF2ZMHLOX0625) 6" x 25' Roll Oval Stainless Steel Flex Liner	1,678.00	N
ZFLAF725	(ZF2ZMHLXX0725) 7" x 25' Roll Stainless Steel Flex Liner	1,768.00	Υ
ZFLAF825	(ZF2ZMHLXX0825) 8" x 25' Roll Stainless Steel Flex Liner	1,846.00	Υ
ZFLAF65	(ZF2ZMHLXX0605) 6" x 5' Stainless Steel Flex Liner	284.00	Υ
ZFLAF75	(ZF2ZMHLXX0705) 7" x 5' Stainless Steel Flex Liner	359.00	Υ
ZFLAF85	(ZF2ZMHLXX0805) 8" x 5' Stainless Steel Flex Liner	374.00	Υ



Flex Liner

#### **Oval Heavy Flex Stainless Steel Chimney Liner**

.019 thickness, 304L stainless steel. Ovalizing is available on other sizes of flex liner - please call AES Inside Sales for more information.

ZFLAF65OV	(ZF2ZMHLOX0605) 6" x 5' Stainless Steel Flex Liner	\$330.00	Υ
ZFLAF75OV	(ZF2ZMHLOX0705) 7" x 5' Stainless Steel Flex Liner	380.00	N
ZFLAF85OV	(ZF2ZMHLOX0805) 8" x 5' Stainless Steel Flex Liner	420.00	N

Available in W. Sacramento CA only. Features 1-foot of round flex and 4-feet of oval flex. 4-1/2" on oval.



Corrugated Flex Liner

### **Oval-Round Flex Fittings**

304 stainless steel. For converting oval flex lining into round rigid liner.

oo i staiiiiess steelii i	or control ting over next ming into round right milen			
RM6ORT	6" Top, Oval Side Crimped	\$75.00	Υ	
RM6ORB	6" Bottom, Round Side Crimped	75.00	Υ	

RM8ORT	8" Top, Oval Side Crimped	128.00	Υ
RM8ORB	8" Bottom, Round Side Crimped	128.00	Υ



Oval Flex Liner

#### **Nose Cones**

24-gauge, 304 stainless steel. Recommended for use with Hi-Per-Flex liners. Assists with installation of difficult relines with offsets or other obstructions. Simply tie a rope onto the loop and attach the vent to the nose cone. Liner pulls down easily for placement in the chimney.

Heavy Flex Offse	ts		
RM8NC	8" Nose Cone	47.00	N
RM6NC	6" Nose Cone	47.00	Υ
RM3NC	3" Nose Cone	\$47.00	Υ



Oval-Round Flex Fitting

Heavy Flex Offse	ts		
ZFELHF615	(ZF2ZOA1506) 6"x15 Degree Heavy Flex Offset	\$99.00	Υ
ZFELHF630	(ZF2ZOA3006) 6"x30 Degree Heavy Flex Offset	99.00	Υ
ZFELHF645	(ZF2ZOA4506) 6"x45 Degree Heavy Flex Offset	83.00	Υ



Nose Cone

400

# **Z-Flex**

316Ti Stainless Steel Liner

100



Z-Flex 316Ti St	ainless Steel liners			
Kits contain the sp	ecified length of corrugated stainless steel flex liner, an 18" x 18" flat plate	, appliar	ice connect	or and
quick cap. Except,	there are NO appliance connectors in the oval kits.			
Item No.	Description	Wt.	Retail	Stocked
ZF525LSN	(ZF2ZLSSXX0525) 5" x 25' Stainless Steel Flex Liner Only		\$614.00	N
ZF615KSA	(ZF2INSERTK615) 6" x 15' Stainless Steel Flex Liner Installation Kit	21 lbs.	659.00	Υ
ZF620KSA	(ZF2INSERTK620) 6" x 20' Stainless Steel Flex Liner Installation Kit	24 lbs.	752.00	Υ
ZF625KSA	(ZF2INSERTK625) 6" x 25' Stainless Steel Flex Liner Installation Kit	27 lbs.	824.00	Υ
ZF635KSA	(ZF2INSERTK635) 6" x 35' Stainless Steel Flex Liner Installation Kit	38 lbs.	1,091.00	Υ
ZF2ZFSFIKITCA- 0625PI	(Sold in CA Only) 6" x25' Pre-Insulated Solid Fuel Insert Kit includes Flex, 18x18 Flat Plate, CA Cap and Appliance Flex Connecter		2,089.00	Υ
ZF620KSA-O	(ZF2OVKT0620) 6" x 20' OVAL SS Flex Liner Installation Kit (Appliance connector is not included.)	24 lbs.	855.00	Υ
ZF625KSA-O	(ZF2OVKT0625) 6" x 25' OVAL SS Flex Liner Installation Kit (Appliance connector is not included.)	27 lbs.	927.00	Υ
ZF625LSN	(ZF2ZLSSXX0625) 6" x 25' Stainless Steel Flex Liner Only (Cannot be ovalized)	19 lbs.	639.00	Υ
ZF635LSN	(ZF2ZLSSXX0635) 6" x 35' Stainless Steel Flex Liner Only (Cannot be ovalized)		875.00	Υ
ZF675LSN	(ZF2ZLSSXX0675) 6" x 75' Stainless Steel Flex Liner Only		2,246.00	N
ZF725KSA	(ZF2INSERTK725) 7" x 25' Stainless Steel Flex Liner Installation Kit	35 lbs.	1,138.00	N
ZF820KSA	(ZF2INSERTK820) 8" X 20' Stainless Steel Flex Liner Installation Kit		1,040.00	N
ZF825KSA	(ZF2INSERTK825) 8" x 25' Stainless Steel Flex Liner Installation Kit	35 lbs.	1,232.00	Υ
ZF825LSN	(ZF2ZLSSXX0825) 8" x 25' Stainless Steel Flex Liner Only (Cannot be ovalized)		3,718.00	N
ZF2OILKTX625KIT	*6" x 25' Smoothcore 316Ti Flex kit (Includes 316Ti SS Smoothcore Liner, Cap, 18 x 18 Flat Top Plate & Appliance Connector)		1,639.00	N

05/24

301

# **Z-Flex** 316Ti Stainless Steel Liner



Stainless Liner	Accessories			
Item No.	Description	Wt.	Retail	Stocked
ZFTPLF41616	(ZF2ZSC1604 or ZFSCSXX04) 4" 16" x 16" Flat Top Plate		\$78.00	Υ
ZFTPLF61313	(ZF2ZSCS1306) 6" Flat Top Plate, 13" x 13"		78.00	Υ
ZFTPLF61818	(ZF2ZSCS1806) 6" Flat Top Plate, 18" x 18"		93.00	Υ
ZFTPNS41313	(ZF2AFCS04) 4" 13" x 13" No Sag Top Plate		80.00	Υ
ZFTPNS41818	(ZF2AFCX04) 4" 18" x 18" No Sag Top Plate		99.00	Υ
ZFTPNS61313	(ZF2AFCS06) 6" 13" x 13" No Sag Top Plate		67.00	Υ
ZFTPNS61818	(ZF2AFCX06) 6" Top Plate, 18" x 18"		99.00	Υ
ZFTPNS81818	(ZF2AFCX08) 8" Top Plate, 18" x 18"		370.00	Υ
ZFCSLF6	(ZF2ZMRCS06) 6" Quick Cap with Screen		105.00	Υ
ZFCNSLF6	(ZF2ZMRN06) 6" Flex Cap w/NO Screen		389.00	Υ
ZFCSLF8	(ZF2ZMRCS08) 8" Quick Cap w/Screen - SPECIAL ORDER ONLY		409.00	Υ
ZFCNSLF8	8" Flex Cap w/NO Screen		110.00	Υ
ZFACLF6	(ZF2CNNI06) 6" Quick Appliance Connector		51.00	Υ
ZFACLF8	(ZF2CNNI08) 8" Quick Appliance Connector		85.00	Υ
ZFQCLF6	(ZF2CNNTRC06) 6" Quick Flex Connector		51.00	Υ
ZFQCLF7	(ZF2CNNTRC07) 7" Quick Connector w/2 Bands -		80.00	Υ
ZFQCLF8	(ZF2CNNTRC08) 8" Quick Connector w/2 Bands		84.00	Υ
RM6ADJ	6" S/S Flat Adj. Insert/Liner Adapter, Adjustment Spec's 0"- 6" ( 2" x 12" x 14")		191.00	Y
ZF2ZFTCB06	(ZF2ZFTCB06) 6" Tee w/Cap & 10" Branch		172.00	Υ
RM8ADJ	8" Adjustable Offset Adapter		231.00	Υ
ZFORF66	(ZF2ZRROAX06) *6" Round Stove Adapter to 6" Oval Female		116.00	N
ZF630ADAPTER	(ZF2ZOAI3006) 6" X 30 Degree Offset Insert Adapter - Low Profile w/Grab Handle		83.00	N


# **Wood Liner & Components**

400

# **Industrial Chimney Company**

100

### **EXCELiner Rigid Liner**



By reducing the chimney to the correct size for the appliance, EXCELiner improves draft, reduces fuel consumption and helps insure consistent operation. There is less creosote formation in a properly sized flue which decreases the probability of a chimney fire.

EXCELiner is listed to UL and ULC standards by Warnock Hersey Professional Services to be used as stainless steel liner in a new chimney, instead of a clay tile liner. Unlike clay tile liners, EXCELiner can withstand chimney fires without damage and comes with a lifetime warranty.

EXCELiner has continuous welded seams which means no leaks and no possibility of seam separation. All stainless steel components are made of type 304 stainless steel with factory hemmed ends for smooth, safe surfaces. No drilling is required. EXCELiner comes with pre-punched holes and all stainless steel rivets provided with each liner section.

To order, enter the appropriate chimney diameter size into the item number.

Chimney Lengt	hs					
For stock	k status, please visit shop.aes4home.com or ca	ıll 800-682	-9722			
Item No.	Description	5"	5.5"	6"	7"	8"
ICLCLL4	48" Length	\$130.00	\$130.00*	\$130.00	\$149.00	\$172.00
ICLCLL3	36" Length	111.00	111.00*	111.00	128.00	147.00
ICLCLL2	24" Length	93.00	93.00*	93.00	116.00	128.00
ICLCLL1	12" Length	55.00	55.00*	55.00	64.00	78.00
ICLCLLA1	12" Adjustable Length	55.00*	55.00*	55.00	64.00	78.00
ICLCLLA3	36" Adjustable Length	111.00*	111.00*	111.00	128.00	147.00
Tees and Elbov	vs					
ICLE_LT	90° Split Base Tee w/out Tee Cap	\$118.00*	\$126.00*	\$126.00	\$132.00	\$142.00
ICLELTA	Adjustable Snout Tee w/out Tee Cap	161.00*	169.00*	169.00	176.00	190.00
ICLELTC	Tee Cap	37.00*	43.00	43.00	45.00	57.00
ICLELE30	30° Elbow	72.00*	80.00*	80.00	85.00	99.00
ICLELE45	45° Elbow	84.00*	85.00*	85.00	97.00	111.00
ICLELE90	90° Elbow	101.00*	105.00*	105.00	118.00	134.00
ICLELEA90	90° Adjustable Elbow	120.00*	120.00*	120.00	134.00	153.00
ICLELTL	Twist Lock Tee	163.00*	167.00*	172.00*	184.00*	203.00*
ICLM6LAF5	Appliance Adapter - 6" Flue to 5" Flex	-	-	72.00	-	-
ICLM6LAF55	Appliance Adapter - 6" Flue to 5.5" Flex	-	-	72.00	-	-
Supports						
ICLMLSB	Galvanized Base Support w/Storm Collar	\$105.00*	\$105.00*	\$105.00*	\$105.00	\$105.00
ICLMLSA	Stainless Top Support 16" x 16" w/Storm Collar	198.00*	203.00*	203.00	215.00	223.00
ICLMLSAL	Stainless Top Support 24" x 24" w/Storm Collar	263.00*	275.00*	275.00	288.00	298.00
ICLMLSAG	Galvanized Top Support 16" x 16" w/Storm Collar	114.00*	120.00*	120.00	128.00	140.00
ICLMLSAGL	Galvanized Top Support 24" x 24" w/Storm Collar	198.00*	203.00*	203.00	215.00	223.00*

# **Wood Liner & Components**

# **Industrial Chimney Company**

**EXCELiner Rigid Liner** 




Caps and Adap	ters					
For stoc	k status, please visit shop.aes	4home.con	n or call 80	0-682-9722		
Item No.	Description	5"	5.5"	6"	7"	8"
ICLMLSASC	Storm Collar	\$39.00	-	\$43.00	\$45.00	\$53.00
ICLMLCR	Regular Rain Cap	99.00*	107.00	107.00	111.00	118.00
ICLMLCD	Deluxe Rain Cap	126.00*	134.00	134.00	155.00	163.00
ICLMLAF	Flex Liner Adapter	70.00*	72.00	72.00	80.00	91.00
ICLMLAF90	90° Adjustable Flex Adapter	157.00*	157.00	157.00	174.00	201.00
ICLMITH	Insulated Thimble	400.00*	-	400.00	435.00	468.00
ICLMLR65	Reducer 6" - 5"	93.00*	-	-	-	-
ICLMLR76	Reducer 7" - 6"	105.00*	-	-	-	-
ICLMLR87	Reducer 8" - 7"	114.00*	-	-	-	-
ICLMLI56	Increaser 5" - 6"	93.00*	-	-	-	-
ICLMLI67	Increaser 6" - 7"	105.00*	-	-	-	-
ICLMLI78	Increaser 7" - 8"	114.00*	-	-	-	-

# **Wood Liner & Components**

# **Liner Accessories**

**Masonry Liner Systems** 





# **Wood Liner & Components**

# **Liner Accessories**

Stainless Steel Flex Liner & Parts



Mud-in Thimb	les			
For passing liner	through masonry.			
Item No.	Description	Description		
RM6MUD	6" Thimble		\$22.00	Y
RM8MUD	8" Thimble		24.00	N
Flex Offset Ada	apter with Flex Coupler			
ZFELHF615	(ZF2ZOA1506) 6" x 15° Offset		\$99.00	Υ
ZFELHF630	(ZF2ZOA3006) 6" x 30° Offset		99.00	Υ
ZFELHF645	(ZF2ZOA4506) 6" x 45° Offset		83.00	Υ
RM715FC	7" x 15° Offset		43.00	N
RM730FC	7" x 30° Offset		43.00	Υ
RM745FC	RM745FC 7" x 45° Offset			N
Flex Couplers	or Adapters			
To join flexible li	ning material to rigid liner.			
RM5FC	5" Flex Coupler		\$33.00	Υ
RM6FC	6" Flex Coupler		39.00	Υ
RM8FC	8" Flex Coupler		43.00	Υ
Stainless Steel	Flashings for ICC			
30" x 30" base. [	Designed to fit ICC Chimney or others	with the same O.D. dimension	ıs.	
RM6FA	6" Flashing for 8" O.D.	1/12 to 7/12	\$146.00	Υ
RM6FB	6" Flashing for 8" O.D.	8/12 to 12/12	146.00	Υ
RM10FA	10" Flashing for 12" O.D.	1/12 to 7/12	129.00	N
RM10FB	10" Flashing for 12" O.D.	8/12 to 12/12	152.00	N



Mud-In Thimble



30° Elbow



Flashing

# Liner Accessories by American Hearth

200

Stainless Steel Flex Liner & Parts



Clamp Hanger						
Supports liner as	sembly at termination or from ba	se.				
Item No	Description	Description				
RM8CH	8" Clamp Hanger		\$43.00	N		
Star Clamps						
Centers liner and	maintains air space when relinin	g air cooled chimneys and supp	orts pipe from	above		
when using flat p						
RM6ST	6" Star Clamp		\$33.00	N		
<b>Roof Brace</b>						
For packed chimr	ney installations. Stainless Steel, f	or 6", 7", 8" pipe. Includes band	and struts.			
RMRB	Roof Brace Kit		\$123.00	N		
Reducer/Increa	iser					
3-piece plug type	e, no crimp.					
RM5X6	5" x 6"		\$44.00	Υ		
ZFRDI76	(ZF2ZRDI67) 6" x 7"		109.00	Υ		
ZFRDI86	(ZF2ZRDI68) 6" x 8"		110.00	Υ		
Flat Plates						
With spin collar s	tiffener.					
RM51616FP	5" Flat Plate	16" x 16"	\$57.00	N		
RM52424FP	5" Flat Plate	24" x 24"	100.00	N		
RM61616FP	6" Flat Plate	16" x 16"	57.00	N		
RM61620FP	6" Flat Plate	16" x 20"	59.00	N		
RM62424FP	6" Flat Plate	24" x 24"	75.00	N		
RM71620FP	7" Flat Plate	16" x 20"	59.00	N		
RM81212FP	8" Flat Plate	12" x 12"	56.00	N		
RM81616FP	8" Flat Plate	16" x 16"	57.00	N		



Clamp Hanger





Norwesco 90° Adjustable Elbow



Reducer/Increaser

**Weatherband Caps** 

### **Wood Liner & Components**

400

# Liner Accessories by American Hearth

Stainless Steel Liner Caps & Accessories

100



Features a spec	ial weatherband giving the venting system additio	nal protection from wind and forei	ign
elements. Adjus	sts for secure fit.		
Item No.	Description	Retail	Stocked
RM3WB	3" Weatherband Cap	\$66.00	Υ
RM4WB	4" Weatherband Cap	76.00	Υ
RM5WB	5" Weatherband Cap	103.00	Υ
RM6WB	6" Weatherband Cap	114.00	Υ
RM7WB	7" Weatherband Cap	127.00	Υ
RM8WB	8" Weatherband Cap	137.00	Υ
RM10WB	10" Weatherband Cap	159.00	Υ



Weatherband Cap

#### Weatherband Caps with Adapter for ICC

A one-piece constructed weatherband cap and pre-attached chimney adapter. This design makes for a more efficient installation on packed chimney. Designed to fit ICC Chimney or others with the same I.D. and O.D dimensions.

RM6WBICC	6" Weatherband Cap with Adapter, 8" O.D.	\$145.00	Υ
RM7WBICC	7" Weatherband Cap with Adapter, 9" O.D.	164.00	N
RM8WBICC	8" Weatherband Cap with Adapter, 10" O.D.	176.00	N
RM10WBICC	10" Weatherband Cap with Adapter, 12" O.D.	204.00	N



Wind Directional Cap

#### **Wind Directional Caps**

Provides the ultimate protection from the elements. Unique design naturally adjusts for wind variation, keeping vent exposure to a minimum. May require adapters for connecting Class A, pellet or B-Vent chimney.

RM5WD	5" Wind Directional Cap	\$131.00	Υ
RM6WD	6" Wind Directional Cap	143.00	Υ
RM7WD	7" Wind Directional Cap	143.00	N
RM8WD	8" Wind Directional Cap	153.00	Υ
RM10WD	10" Wind Directional Cap	159.00	Υ

### **Cap Adapters**

Adapts any chimney into Reliance liner termination caps. Universal design fits all factory-built chimneys. Ideal for replacement caps. May be required to install specialty caps to existing class A or air cooled chimneys. Triple wall thermo types are available by special order only.

Item No.	Description	Outside Diameter	Retail	Stocked
RM6WDADAPT	6" Packed Adapter	8" O.D.	\$48.00	Υ
RM6ADAPT6D	6" Adapter for 6" Duravent	10" O.D.	55.00	Υ
RM7WDADAPT	7" Packed Adapter	9" O.D.	56.00	N
RM8WDADAPT	8" Packed Adapter	10" O.D.	60.00	Υ
RM8ADAPT8D	8" Adapter for 8" Duravent	12" O.D.	61.00	Υ
RM8ADAPT8UNI	8" Adapter	13" O.D.	61.00	Υ
RM8ADAPTSL300	8" Adapter for SL300	10-1/2" O.D.	107.00	N
RM10WDADAPT	10" Packed Adapter	13" O.D.	68.00	Υ



Cap Adapter

500

# **Wood Liner & Components**

# **Dura-Blanket**

### Liner Insulation

High heat reflecting insulation for wrapping liner. Protects against heat penetration and contains heat within liner. A lightweight and resilient material. Excellent corrosion resistance and thermal stability. Low thermal conductivity and heat storage. Made of carborundum with increased fiber dimensions preventing airborne fibers. Carborundum Insulfrax Durablanket conforms to requirements for "Incombustible Materials" 1832°F continuous use limit.

Item No.	Description	Retail	Stocked
WC1254	4 lb. Density 1" x 2' x 25' Blanket (long liner runs)	\$279.00	Υ
WC12258	8 lb. Density 1/2" x 2' x 25' Blanket (short liner runs)	249.00	Υ
WC12258CW	8 lb. Density 1/2" x 2' x 25' Blanket (foil faced)	399.00	Υ
WC1258	8 lb. Density 1" x 2' x 25' Blanket (stove baffles)	449.00	Υ
RM00TB	Insulation Tie Band (Set of 6) (RMITB)	22.00	Υ
AT2150	Aluminum Tape 2"x150' -24/cs (AF973/975) #106616 (50 Yds)	26.90	Υ



Dura-Blanket

# Liner Accessories by American Hearth

200

**Insert to Liner Adapters** 



Connects wood inserts to stainless steel chimney liner systems. All liner adapters are available flat or offset. Round liner connections are available in rigid pipe size or flex size. Please reference the brochure at the end of this catalog section for specific measurements.

Universal Adapt	ers		
Universal style ada	apter fits over the round, square or rectangular discharge on inse	ert without butt	erfly
type damper. Fits r	most Fisher and Kodiak brand appliances.		
Item No.	Description	Retail	Stocked
RM630UNI	6" x 30° Universal-12"	\$176.00	Υ
RM630LGUNI	6" x 30° Universal Large-17"	182.00	Υ
RM630XLGUNI	6" x 30° Universal X-Large-21"	182.00	Υ
RM830UNI	8" x 30° Universal-12"	176.00	Υ
RM830LGUNI	8" x 30° Universal Large-17"	182.00	Υ
RM830XLGUNI	8" x 30° Universal X-Large-21"	182.00	N
Slide Damper Ac	dapters		
Slide damper style	fits rectangular, square or round discharge on insert with center	r slide type dam	per. Fits
many Lopi brand a	• • •		•
RM630LOPI	6" x 30° Slide Adapter	\$190.00	Υ
RM830LOPI	8" x 30° Slide Adapter	190.00	Υ
Adjustable Flat (	Offset Adapters		
Connects into rour	nd discharge on insert and can be adjusted in the field to suit a v	ariety of applica	ations.
Designed for zero	clearance insert connection to liners.		
RM6ADJ	6" Adjustable Offset Adapter	\$191.00	Υ
RM8ADJ	8" Adjustable Offset Adapter	231.00	Υ



Universal Adapter



Set Back Adapter



Slide Damper Adapter



Adjustable Flat Offset Adapter

### **Wood Liner & Components**

400

# Liner Accessories by American Hearth

"Zero-Zero" Masonry Liner System

100



### **Specifically Designed for Zero Clearance Applications**

This premium liner application eliminates worries from questionable chimney construction or clearances and provides the ultimate assurance of a safe chimney. Recommended for unlined masonry chimneys or where clearances are of concern. Tested and listed to U.L. 1777 standards. Make sure your installation meets these tough "Zero-Zero" safety standards by using this fully listed system. The components below can be safely installed with zero clearance to the inner masonry and zero clearance to exterior combustibles despite a jagged or uneven chimney. Used only for zero clearance applications.

#### **Termination Cap Options**

The Zero-Zero application uses standard termination cap options, flex, liner and components for all items not listed on this page. Use oversize flat plate (listed on page 305): for 6" system, use 7" flat plate; for 7" system, use 8" flat plate.

### "Zero-Zero" Storm Collars

Adjustable shield that fits snugly onto the pipe redirecting the water away from the entire system. The band is wider in the Zero-Zero system in order to completely cover the air basket and insure protection of the overall system. For zero clearance applications.

Item No.	Description	Retail	Stocked
RM600SC	6" "Zero-Zero" Storm Collar	\$40.00	Υ



"Zero-Zero"	"Zero-Zero" Air Baskets					
Allows fresh co	Allows fresh cool air to facilitate draft around the pipe cooling entire system for added safety.					
Item No.	Description	Retail	Stocked			
RM00AB6	6" "Zero-Zero" Air Basket	\$67.00	N			
RM00AB7	7" "Zero-Zero" Air Basket	67.00	N			
RM00AB8	8" "Zero-Zero" Air Basket	67.00	N			
Star Clamps						

Provides additional insurance for supporting the liner in case of an overheating situation and centers the pipe inside the chimney.

RM6ST	6" Star Clamp	\$33.00	N
"Zero-Zero" In	sulation and Attachment Options		
WC12258CW	Foil Faced Ceramic Wool	\$399.99	Υ
	2300° 2' x 25' roll, 1/2" thickness, priced per roll. See page 306 for more inform	ation	
RM00TB	Insulation Tie Band	22.00	Υ
	For securing ceramic wool around liner, 6 pc.		
AT2150	Aluminum Tape	26.90	Υ
	2" x 150' roll, used to secure ceramic wool around liner.		
	Mesh Sleeves Available - Contact Inside Sales (Mesh Sleeves are Non-Stock)		



# M & G Dura-Vent

### 6" & 8" DuraLiner



DuraLiner ensures safe and efficient venting of heating appliances, while protecting the masonry chimney from the damaging effects of flue gas. It is the only factory-insulated product with zero/zero clearance for high heat wood-burning appliances. No need to uncoil flex, insulate a majority of the pipe, or protect the insulation when installing. A smooth inner means less creosote buildup.

6" & 8" DuraLii							
For stoc	k status, please visit orders.aes4home.com or o	call 800-68	<b>2-9722</b> 			8"	
Item No.	Description	Pkg.	Weight	Retail	Pkg.	Weight	Retail
SD DLR12	12" Round Rigid Pipe	1	4 lbs.	\$163.50	1	5 lbs.	\$272.72
SD DLR24	24" Round Rigid Pipe	1	6 lbs.	228.83	1	8 lbs.	271.17*
SD DLRE30SS	30° Stainless Steel Elbow	1	2 lbs.	117.80	1	3 lbs.	198.86*
SD DLR36	36" Round Rigid Pipe	1	9 lbs.	307.88	1	12 lbs.	454.52*
SD DLRMTSC1	Masonry Thimble w/Slip Connector	1	4 lbs.	267.89	1	4 lbs.	401.84
SD DLRWPT	Wall Pass Through	1	15 lbs.	658.92*	1	16 lbs.	691.86*
SD DLRE45SS	45° Stainless Steel Elbow	1	2 lbs.	117.80	1	3 lbs.	369.30*
SD DLR48	48" Round Rigid Pipe	1	12 lbs.	381.34	1	16 lbs.	464.99
SD DLRAS	Adjustable Sleeve	1	2 lbs.	124.04*	1	3 lbs.	136.07
SD DLRT	Round Tee w/Round Branch w/Cap	1	5 lbs.	440.56	1	6 lbs.	886.33
SD DLRSCH	Slip Connector and Hanger	1 set	3 lbs.	128.56*	1 set	4 lbs.	179.15
SD DLRFCNR	Flat Stove Connector (round)	4	6 lbs.	112.02	4	7 lbs.	118.56
SD_DLRCNR	30° Stove Connector (round-round)	4	9 lbs.	246.23	4	10 lbs.	266.05
SD DLRKXC13	Extend-a-Cap Kit (round 13" x 13")	1	7 lbs.	363.91	1	7 lbs.	624.96
SD DLRKXC18	Extend-a-Cap Kit (round 13" x 18")	1	7 lbs.	403.26	1	7 lbs.	450.98
SD DLR12O	12" Oval Rigid Pipe	1	3 lbs.	211.59	1	5 lbs.	426.12
SD_DLR24O	24" Oval Rigid Pipe	1	7 lbs.	275.49	1	8 lbs.	767.02
SD_DLR36F	36" Round-to-Round Flex Pipe	1	13 lbs.	289.04*	1	13 lbs.	375.76
SD_DLR36OF	36" Oval-to-Oval Flex Pipe	1	13 lbs.	389.78*	1	15 lbs.	994.27
SD_DLR36O	36" Oval Rigid Pipe	1	10 lbs.	364.41	1	12 lbs.	937.46
SD_DLR36ORF	36" Oval-to-Round Flex Pipe	1	5 lbs.	289.04*	1	16 lbs.	710.19
SD_DLR48O	48" Oval Rigid Pipe	1	13 lbs.	443.27	1	16 lbs.	541.43
SD_DLR60F	60" Round-to-Round Flex Pipe	1	6 lbs.	404.65	1	22 lbs.	560.77
SD_DLR60OF	60" Oval-to-Oval Flex Pipe	1	7 lbs.	404.65	1	15 lbs.	937.46
SD_DLR60ORF	60" Oval-to-Round Flex Pipe	1	17 lbs.	404.65	1	22 lbs.	937.46
SD_DLROTRB	Oval Tee w/Round Branch w/Cap	1	2 lbs.	320.95	1	4 lbs.	636.33
SD_DLRS	DuraLiner Spacer (oval)	4	3 lbs.	94.71*	4	4 lbs.	107.55
SD_DLRFCNO	Flat Stove Connector (oval)	4	7 lbs.	317.83	4	6 lbs.	289.45
SD_DLRCNO	30° Stove Connector (oval)	4	10 lbs.	237.45	4	10 lbs.	482.93
SD_DLRCNRO	30° Stove Connector (round-oval)	4	7 lbs.	220.71	4	6 lbs.	317.83
SD6DLRKXC22	Extend-a-Cap Kit (oval 10" x 22")	1	6 lbs.	400.75	-	-	-
SD6DLRKXC20	Extend-a-Cap Kit (oval 13" x 20")	1	8 lbs.	443.88	-	-	-
SD8DLIK	Two-Ply Insulation Sleeve (60")	-	-	-	1	12	208.44
SD8DLRKXC22	Extend-a-Cap Kit (oval 10" x 22")	-	-	-	1	7 lbs.	456.16
SD8DLRKXC20	Extend-a-Cap Kit (oval 13" x 20")	-	-	-	1	8 lbs.	633.77